

**SHEILAM CACTUS GARDEN &
SUCCULENT NURSERY**

P.O. BOX 157
ROBERTSON
6705
TEL: 023-626-4133
FAX: 0865146226
E-MAIL: sheilam@lando.co.za
WEBSITE: www.sheilamnursery.com

**SUCCULENT / CACTI CATALOGUE
JANUARY 2009**

BUSINESS HOURS The garden is open Monday -- Saturday from 8am - 5 pm.

Nurseries and clients requiring specialist attention, by appointment only.

Closed on Sundays and religious holidays (Christmas 25 & 26 December)

THE FOLLOWING CONDITIONS OF SALE APPLY TO RSA BUYERS

1. Cash with order / Kontant met bestelling
2. Minimum order/ bestelling R250
3. Please add 30% for packing and postage (Minimum R55)
4. RSA clients: Prices exclude 14% VAT.

THE FOLLOWING CONDITIONS OF SALE APPLY TO OVERSEAS BUYERS.

MINIMUM ORDER R600

1. Payment in advance. Orders will only be executed when money to cover the costs is received.
Personal cheques will no longer be acceptable. Kindly send a bank draft or arrange for money to be sent through our bankers. For orders less than R5000 bank costs will be charged at R115.

BANKING DETAILS

ACCOUNT NAME: SHEILAM NURSERIES
BANK: STANDARD BANK, 43 CHURCH STREET, ROBERTSON, RSA
ACCOUNT NR: 08 234 9576
BRANC NUMBER: 05 04 13
SWIFT CODE: SBZAZAJJ

2. Purchaser must indicate how plants are to be dispatched.
 - a) **By airmail:** The cost of the postage is generally equal to the cost of the plants, unless heavy caudiciforme plants are ordered when the cost of the postage can be far more than the value of the plants - approximately 1.5 times the price of the plants.
Should only lighter plants e.g. stapeliads, conophytums or haworthias be ordered, the postage is *approximately 1/3 of the value of the order.*
 - b) **By airfreight:** If the weight of the plants to be dispatched is likely to exceed 40 kg it is probably advantageous to send the plants by airfreight instead of airmail. In this case we can dispatch them "Airfreight Collect" There will be a charge by the agent forwarding the consignment from S.A. and there is likely to be a similar charge levied by the agents at the airport on arrival.
3. The cost of the **phytosanitary certificate compulsory** for all plant exports @ R200 per order.
4. A CITES PERMIT is needed for e.g. pachypodiums, euphorbias, anacampseros, aloes etc. @ R300.
5. Kindly note that the cost of the "Cites" certificate and the phytosanitary certificate plus the postage must be paid by us. When ordering, this amount must be added to the cost of the plants ordered.
6. Many succulent plants are extremely vulnerable to exposure to temperature changes and/or extended periods out of a growing medium. Sheilam cannot be held responsible for loss of plants where there has been a delay in delivery of plants as can occur in transit or at customs or if the client fails to fetch the plants after clearance. It is most important to contact your customs if the plants are not delivered within 10 days.

JANUARY 2009

ACRODON

bellidiflorus		R12
	- Swellendam MBB6530	R20
	- Potberg	R20

ADENIA

glauca	R10 per cm diam	s	R---
fruticosa		s	R---

ADENIUM	oleifolium (seedlings)	s	----
----------------	------------------------	---	------

ADROMISCHUS

alstonii	-Steinkopf	R12
	- Umdaus	R12
caryophyllaceus	- Robertson	R12
caryophyllaceus	- Kathoek	R12
cristatus	- curly edge	R12
cristatus	- very red leaves	R24
cooper		R12
fallax		R12
fallax	PVB2970 - Graaf Reinet	R12
filicaulis		R12
filicaulis	- ssp marlothii	R12
humilis	- Klipfontein	R12
humilis	- PVB3110	R12
leucophyllus	- Montagu	R12
leucophyllus	PVB - Laingsburg	R12
leucophyllus	- Warmwaterberg, Barrydale	R12
liebenbergii	- Boelhouer	R12
liebenbergii	- S. Laingsburg	R12
maculatus	- Mosselbaai	R12
	- Venterskop, Calitzdorp	R12
cf maculatus	- Goudini, Napier	R12
marianae v immaculatus		
	- (beautiful form)	R19
marianae v marianae		R12
marianae v kubusensis		
	- NW. Steinkopf	R12
montium-klinghardtii		R24
phillipsiae		R12
	- Ouberg	R12
	- PVB6079	R12
roaneanus		R12
roaneanus	- N. Ceres	R12
schuldianus		R12
schuldianus	- Auros Mountains	R12
schuldianus	- Klipbok	R12
sphenophyllus		R12
triflorus	- S. Laingsburg	R12
triflorus	- Umdaus	R12
trigynus	- Prieska	R12
ssp. PVB4407	- Mpunzi Drift, Natal	R12

AEONIUM

arborum var atropurpureum		
	(rooted cuttings)	R16
tabulaeforme (fairy platter)		R20
teneriffae viscatum		R16

AGAVE

attenuata		s	R20
	med 30cm diam to very large		R50—R225
ferdinandi regis		s	R27
	larger available...individually quoted		
geminiflorus			R27
picta			R30
shawii			R50 ltd
potatorum			R60 ltd
toumeyana			R45-R75

ALLUAUDIA

procera	-40cm	R30
	-60cm	R75
	-80-100cm	R135
	-large with branches / specimens from	R250
didierea	- rooted cuttings	R30

ALOE

2 year old seedlings (variety)		R10
aculeata		R20 -R50
africana		R125
alooides		R25
angelica		R25
arborescens		R20
aristata		R45--R125
bakeri	- Madagascar	R15
barbadensis (vera)		R20 ---R50
barberae (bainesii)	s	R25
	specimen plants available	R600 +
bowiea		R---
broomii		R55
brevifolia		R25
castanea		R55
ciliaris.		R10
comosa		R35
dichotoma (Quiver tree) seedling		R25
	- 20cm	R75
	- 30-40cm	R300-R400
	- 50-80cm	R500-R800
	- 80-100cm	R950-R1150
ferox	s / m / L	R10/ R35 /R75
framesii		R55
gariensis		R20
gertsnerii		R25
globuligemma	s	R15 ---R50
haworthioides		R30
humilis		R25
khamisensis		R50
komatiensis		R45
lineata v muirii,	- George	R45
marlothii		R55 m
melanacantha		R45
microstigma		R20---45
mitriformis		R--
peglerae		R45
plicatilis	s/m	R25---100
plicatilis		L R450
	specimens	POR
pseudorubroviolacea - Saudi Arabia		R---
pluridens		R45
rauhii		R15

squarrosa (juvenna)	R20	12cm	R110
striata	s R25-R95	15cm	R130
tenuior	R15	Specimen	POR
thraskii	R---		
variegata (Kanniedood)	R35		
HYBRIDS 50—80CM	R80		
ALOINOPSIS			
luckhoffii	----		
orpenii	R20		
rosulata	----		
setifera	R20		
schooneesii	----		
transvaalensis	----		
ANACAMPSEROS			
filamentosa	R12		
lanigera	R---		
marlothii	R---		
rufescens	R22		
telephiastrum	R12		
ANTIMIMA aff. dualis			
	R12		
ARGYRODERMA			
brevipes	R22		
crateriforme	R22		
delaetii f aureum	R22		
delaetii f delaetii (white flower)	R22		
delaetii f roseum (red flower)	R22		
fissum f fissum	---		
patens	R22		
pearsonii f pearsonii (red flower)	R22		
subalbum	R22		
villetii	R22		
ASCLEPIADACEAE separate list			
ASPARAGUS			
densiflorus v densiflorus	R20		
meyeri	s R15		
ASTRIDIA sp			
	R12		
ASTROLOBA			
Bullulata - Boelhouwer Clone 2	R45		
bullulata - Klein Rietfontein	R45		
bullulata - Viskuil Clone I	R45		
foliolosa ssp deltoidea	R15		
foliolosa ssp foliolosa	R25		
foliolosa ssp foliolosa MBB6577			
- Cookhouse	----		
muricata - Montagu	R15		
muricata (smooth form)	R15		
muricata - Brandrivier	R20		
smutsiana	R15		
spiralis	R15		
AVONIA papyracea			
	R25 *		
BEAUCARNEA stricta (ponytail palm)			
4-6cm	R25		
6-8cm	R45		
10cm	R80		
BIJLIA cana			
			R20
BOWIEA volubilis			
			R20-R80
BULBS			
Albuca acuminata			R15
Albuca namaquensis			R---
Amaryllis belladonna			R22
Babiana stricta			R15
Boophane disticha seedlings			R15
Boophane disticha 3-4			R25
Boophane guttata			R20
Brunsvigia bosmania s/M/ L			R15—R45
Brunsvigia josephinae			R---
Bulbine frutescens			R15
Bulbine mesembrianthoides			R---
Crossyne			
flava (yellow)			R---
guttata (maroon)seedlings			R12--R35
Cyrtanthus montanum			R20
Cyrtanthus elatus			R25
Eriospermum paradoxum			R---
Eucomis regia			R25
Ferraria ferrariola			R25
Haemanthus albiflos			R20
Haemanthus amaryllloides			
subsp. polyanthus			R25
Haemanthus coccineus			R---
Lachenalia aloides - Malmesbury			R20
Lachenalia contaminata			R12
Massonia depressum			R---
Nerina humilis			R20
Ornithogalum dubium (seedlings)			R12
Tritonia pallida			R20
Strumaria truncata			R22
Strumaria unquiculata			R22
Veltheimia capensis			
Small			R15
Adult			R35
BURSERA fagaroides			
			R20—R85
CARRUANTHUS peersii			
			R20
CEPHALOPHYLLUM			
aureophyllum			R15
alstonii			R15
- var francisii.			R15
jordaaniella			R15
subulatoides			R15
spongiosum			R15
CHEIRIDOPSIS			
candidissima (denticulata)			R15
cigaretifera			
- Matjiesfontein			R15
- Kliprand			R15*
denticulatus - S.Grasvlakte			----
peculiaris			----
pillansii			R15

purpurata		R15
richardiana		R15
robusta	- Klipbok	R15
schlecteri	- Umdaus	R15
splendens		R15
sp. nova		R15
vanzijlii		R10
vanzylia		R15

CONOPHYTUM (single plants R13/ clusters R25)

angelica	- Klipbok	----
bicardiadum		R17
bilobum spp bilobum		R15
- f altum		R13
- f anomatum		R13
- f cordatum		R22
- f dolomitictum		R13
- f elishae		R13
- f muscosipapillatum		R13
- f springbokense		----
- f gracilistylum		R13
- ssp lavisianum		R13
- ssp leucanthum		----
- ssp. - Klipbok		R13
blandum	- Geselskapbank	R13
breve		----
calculus	-single	s R13
	-clusters	----
chauviniae	- Arondegas	R13
complanata		R13
ectypum		R13
- Geelvlei Plato		R13
- Anenous Pass		----
- Khuisberg		R13*
- Ratelpoort		----
- Eenriet		R13
- Khuisberg		R13
- ssp ecty. brownii		R13
- spp ecty. f limbatum (clonotype)		R13
elishae (small form)		R13*
ficiforme		----
flavum ssp flavum f ornatum		R13
- Umdaus		R13
- ssp novicium - Eenriet		R13
fraternum	- Umdaus	R13
friedrichiae		R13
fulleri	- N. Pofadder	R13
gratum spp gratum		R13
gratum ssp maximum - Rosyntjieberg		----
herrei		R13
herreanthus ssp Rex - Klipbok		R13
hians		R13
inexpectatus	- N. Umdaus	R13
limpidum		R19
loeschianum		R13
longum		R13
lydiae f harmoepense		R13
marginatum		
- spp marginatum		R13
- ssp karmoepense		R13
meyeri		R13
- small form		R13
- f ovigerum		R13

minimum		
- f pictum	- Laingsburg	R13
- f pictum	- Bulhouer	R13
- f pictum	- all forms	R13
minutum v minutum		R13
-v pearsonii		R13
-v pearsoniii f tubatum		
	- S. Laingsburg	R13
obscurum		
	- Konaan	R13
	- Arm.732 b	R13
obcordellum ssp obcordellum		R13
obcordellum ssp obc. f mundum		----
-f giftbergense		R19
pageae		
- Klipbok		R13
- Kliprand		R13
- Rosyntjieberg		R13
- f subrisum		R13
pellucidum	- E. Pofadder	----
-cupreatum.	- N. Kliprand	----
	- Rietfontein	R13
pillansii		R25
piluliforme		
- ssp pilulif.	- Brandrivier	R13
- ssp pilulif.	- Montagu	R13
- ssp pilulif. f advenum		
	- Avondrust	R13
praeseatum	- Gamoep	R13
praeseatum haramoepense		R13
quaesitum		R13 ltd
ratum		R40
ricardianum		R13
saxetanum		----
saxetanum f misellum		R13
stephanii	- Helmut	----
tantillum ssp tantil. H2296 Steinkopf		R13
tantillum ssp tantil. f eenkokerense		R13
taylorianum ssp ernianum		R13
truncatum ssp truncatum		R13
- Prince Albert		R13
- v wiggettiae	- De Rust	R13
- v wiggettiae	- Calitzdorp	----
- uviforme ssp uviforme		----
- W. Kliprand		R13
- f pardivisum		----
- ssp subincanum		R13
velutinum	- Brandrivier	R13
- f cinereoviride		R13
violaciflorum		R13
viridicatum		R13
wettsteinii	- Kliphoopte	R13
wettsteinii ssp fragile	- no locality	R13
	- GT. Helskloof	R13
wittebergensis	- Klein Springfontein	----

COTYLEDON

ladismithensis ssp ladismithensis		R14
muirii		R14
orbiculata	- Boegoeberg	R14
orbiculata (rooted cuttings)		R14
tomentosa		R14

CRASSULA

acutifolia - Goudmyn	R12
alstonii	R25
argentea maculosa	R17
atropurpurea	R12
barklyi (teres)	R12
capitella	R12
columnaris	R22
columella	R22
corymbulosa	R12
cotyledonis	R12
deltoidea	R12
deceptor	R22
falcata	R12
lycopodioides (cristate form)	R12
marnieriana	R12
namaquensis - Umduus	R12
nudicaulis	
- platyphylla	R12
obvallata	R22
orbicularis	R12
ovata	R22
perforata	R12
pyramidalis - Oudtshoorn	R12
pseudohemisphaerica	R12
rupestris - Table Mountain	R12
rupestris - Matjiesfontein	R12
rupestris	R12
socialis	R12
subaphylla	R12
susannae	----
tecta	R12
undulata	R25 ltd
vestita	R12 *

CYLINDROPHYLLUM tugwelliae R10*

CYPHOSTEMMA

bainesii	R---
currori seedlings	R---
juttae	s R15-- 30cm R150 45cm R200
specimen plants	POR

DACTYLOPSIS digitata R55
(Phyllobolis digitatus)

DASYLIRION longissimum R60

DIDIERIA see Alluaudia

DIOSCOREA ELEPHANTIPES see Testudinaria

ECHEVERIA (Desert rose)

agavoides	s R30 ltd
"Doris Tailor"	R10
glauca	R10
setosa	R12
Black Prince (cultivar)	R20 ltd
potosorum	R20 ltd

ERYTHRENA acanthocarpa R--

EUPHORBIA

aeruginosa	R15
avasmontana (rooted cuttings)	----
bayeri	R22
caput-medusae	R25
cereiformis	----
clandestina	R25
clava	R22
coerulescens	m R25-- R50
cooperii (rooted cuttings)	R95
crispa	single R---
cylindrifolia v tubifera (cuttings -no tuber or caudex)	R40
enopla (red spines) clustering	R45
single	R25
esculenta	R---
globosa	R---
gorgonis	R30
grandicornis	s R20
Large	R105
grandidens - Uitenhage	R25
hamata	R---
heptagona	R38
horrida v noordveldensis	s R25
v striata	L R40
v striata -W. Kampher	s R40
ingens (candalabrum)	R30
specimen 1-2m	POR
jansenvillensis	R35
knuthii	R28
lacteal - India	L R125
leydenbergensis (rooted cuttings)	R28
louwii	R28
mammilaris (corn-cob plant)	R35
meliformis	R---
millii var millii	R25
var hislopilii	R25
monteiroi	R25
multifolia - Ladismith	----
muirii	R25
nemorosa	----
nesemannii	R25
obesa	s R60
onoclada - Madagascar	----
polygona	R35
pseudocactus (cuttings)	R25
pulvinata	R30
resinifera (rooted cuttings)	R28
schoenlandii	R40
sekukuniensis	R30
squarrosa	R---
stellaspina	R35
stenoclada (rooted cuttings)	L R175
suzannae	R---
symmetrica	----
tetragona (cuttings)	R20
tirucalli (fire sticks)	R45
triangularis	R35
trichadenia	R95
tuberculata	R35
valida	R30
viguieri	R35
woodii	s R25 m R40

FAUCARIA (clumps)

albidens		R25
bosscheana		R25
candida	(white flower)	R28
britteniae		R15
hooleae		R22
paucidens		R22
paucidens	MBB6576 - Cookhouse	R22
subintegra		R15
tigrina		R25
tuberculosa		R22
spp.	Hentz Dam	R22

FENESTRARIA	aurantiaca	R25
--------------------	------------	-----

FOCKEA	edulis (Kambroo) 5years old	R35
---------------	-----------------------------	-----

GASTERIA

acinacifolia		
- Maitland River Mouth		R17
-Port Elizabeth		R12
batesiana		
- no locality		R12
- New form		R17
- Pongola		R---
- Barberton Clone 1/2/3		R22 ltd
- Penge		R12
- Strydom dam		R33
baylissiana	no locality	R12
baylissiana		
- Swartrivierpoort	476-86	R22
- Oudekraal		R12
- Oudekraal	249-63	R12
bicolor v bicolor		R12
bicolor		
- Grahamstown		R12
- Plutovale		R12
- Oakhill Farm		R12
- Stutterheim		R12
- Cookhouse		R33
- Kei Bridge		R33
bicolor v lilliputana		
- no locality		R12
- Grahamstown		R12
- JB Plutosvale		R12
brachyphylla v brachyphylla		R12
- Barrydale		R33
- Huisrivierpas		R12
- Ockerskraal		R22
- Oubergpass		----
- N.E. Montagu		R22
- (white streaks - hybrid)		R17
brachyphylla var bayeri		R22
- Calitzdorp (very special)		R22
carinata v carinata	no locality	R12
- Gouritz River		R12
- Maanskynkop		R22
- Groot Brak River		R17
- Herberdsdale		R22
- Luiperdskop	EVJ495-86	R----
- Slangrivier		R12
- Gourtiz River	559-61	R22
- CDK		R22

- Mieliebos	846-60	R33
carinata v verrucosa		R12
- v verrucosa	831-69- Snow Cap	R22
- v verrucosa	WB7	R22
- v verrucosa	- Bredasdorp	R22
- Ex Hort	473 - 86	R33
croucheri		R12
- Oriibi gorge		R22
- de Rust		R22
- Mamba Valley		R33
- Paddock		R12
- Richmond		R33
- Tsomgweni Valley		R17
- Durban		R33
disticha - de Rust		R22
- Klaasvoogds		R12
- Montagu		----
- Beaufort-Wes		R60*
- Brandrivier		R---
- S Tonteldoos	MBB 6975	
	cl.1,2,	R---
disticha var disticha		
- Laingsburg	719-84	R22
excelsa		
- Cala Pass		R12
- Transkei		R33
- Gaika Fort		R33
ellaphieae		
- no locality		R17
- E.V. J. 11150		R22
- E.V.J. 11032		R22
- 509-89 Type		R22
- Paul Sauer	G143	R33
glomerata		
- no locality		R12
- Kougadam		R22
- f. "inflata"		----
nitida v armstrongii		s R12
- Jeffreys Bay		R17
- N. Taaibosvlei		----
- Taaibosvlakte	722-84	R17
pillansii		
- no locality		R12
- Bloukrans Pass	1859/70	R22
- Bullhouer		R12
- Boskloof Pass	482-86	R22
- Hellskloof	4152	R33
- Kroukrammaberg	1392-69	R33
- Ockerskraal		R12
- Olienhoutplaas		R33
- Rosyntjieberg	EVJ 6139	----
- Baklei plaas		R33
- Vredendal		R22
v ernesti-ruschii		
-Gemsbokvlei		R17
-Hellskloof	137-58	R22
- ex US	460-86	R33
- Numee		s R33
pulchra		R12
- Hankey		R12
rawlinsonii -Baviaanskloof		R22
vlokii - no locality		R37
- 648-86		R33
- Prince Albert G135		R33

PACHYPODIUM

bispinosum	s	R---
geayi	s	R30
lamerei small /M/L	s	R35
saundersii	s	R---

PELARGONIUM

abrotanifolium		R---
alternans (fine leaves)	L	R20
campestre		R---
carnosum		R20
crithmifolium		R20
cucullatum (cuttings)		R10
echinatum		R25
fragile		R20
fulgidum (red flower)		R15
gibbosum (cuttings)		R---
lobatum (seedlings---large)	M	R30
luteolum		R---
magenteum (rhodanthum)		R30
peltatum (creeper)		R10
pinnatum		R20
pulverulentum		R25
rapaceum		R40
tetragonum		R20
triste (seedlings ----large)	M	R35
xerophytum		R30
ssp nova		R25

PETOPENTIA natalensis

s R30
L R60

PLEIOSPILOS

bolusii		R20
compactus		R20
fergusoniae	L	R30
hilmari		R25
nelii		R25
simulans		R25

PORTULACARIA afra

R25

POELLNITZIA rubriflora

R20

RAPHIONACME

burkei		R120
procumbens		R---
hursuta		R---

SARCOCAULON

crassicaule		R35
vanderietiae		R35

SEDUM morgianum

R12

SCELETUM ovatum (syn. Tortuosum)

(rooted cuttings) R12

SCHWANTESIA

marlothii - NW Pofadder		R20
-------------------------	--	-----

SEMPERVIVUM arachnoideum

R10

SENECIO

archeri	- Swellendam	R12
articulatus	- S. Laingsburg	R12
	- Warmwaterberg	R12
crassulifolius	- Devils Peak	R12
fulgens		R30
hallianus		R20
haworthioides		R25
medleywoodii (cuttings)		R10
muiru	-Gouritz River	R15
latisipes		R---
rawleyanus (string of pearls)		R12
scaposus		R25
sulcicalyx	-Beauvallon PVB	R15
stapeliiformis		R---

STOMATIUM mustellinum

R15

TALINUM caffra

R25

TESTUDINARIA

elephantipes	<4cm diam	R25
	<5cm	R35
	6cm	R60
	7cm	R75
	8cm	R95
	9cm	R125
	10cm	R140
	11cm	R155
	15cm (LTD)	R---

TITANOPSIS

calcareo		R20
fulleri		R---
primosii		R20
schwantesii		R---

TRADESCANTIA navicularis

R10

TRICHODIADEMA densum

R10

TYLECODON

buchholzianus		R22
cacalioides		R35
grandiflora		R30
luteosquamatus (pearsonii)		R65
paniculatus	20cm	R25
	30cm	R50
	50cm	R80—R100
	specimen 80cm	R250
pygmaea		R45
reticulatus	seedlings	R---
		m R35
		L R65
ventricosus		R22
wallichii	s	R30-45
	m	R65
	L	R95
wallichii x paniculatus		R25

RSA: ALL PRICES EXCLUDING VAT

THIS IS NOT AN AVAILABILITY LIST AS STOCK
CAN VARY WITH THE SEASONS